

Index

A

accessibility, 2-2
 adsorptive capture, 1-8
 aerial suspensions, 6-3
 aerial targets, 2-3
 aerosol bombs, 7-2
 aircraft spray, 7-2
 air manifold bleed valve, 4-7
 air pressure, 6-5
 alarm silence button, 4-7
 alert horn, 4-7
 algae, 1-15
 alkaline material, 1-16
 allocation instructions, 6-16
 aluminum, 1-15
 ammonia, 1-17, 1-18
 antipersonnel agents, 7-2
 antitelescoping devices, 1-15
 aquifers, 3-3, 8-1
 arctic, 7-6, 8-3
 arroyos, 2-2
 artillery, 2-3
 augers, 2-2

B

backwash, 1-6, 1-10, 1-11, 4-2, 4-8
 pump, 4-1, 4-2
 tank, 4-2
 tank valve, 4-2
 timer, 4-2
 valve, 4-2
 bacteria, 1-15, 1-17, 7-2, 8-6
 baffle, 1-10
 ball receiver, 6-5
 base, 3-13
 base cluster, 3-13
 basket strainer, C-11
 bays, 3-10
 beta rays, 7-10
 biological agents, 7-2
 biological weapons, 7-2
 bivouac, 2-3, 3-13
 blast effects, 7-2
 booster pump stop button, 4-7
 breakaways, 6-4
 breakpoint, 1-18
 bridge, 6-4
 brine, 8-7
 brine concentrate pressure gauge, 4-11

brine flow gauge, 4-2
 brine throttling valve, 4-11, 4-12
 butterfly valve, 6-2
 BW pathogens, 7-2
 bypass line, 5-9

C

calcium, 1-15
 calibrate, 4-2
 canyons, 2-2
 capsules, 7-2
 carcinogen, 1-16
 cartridge
 filter drain valve, 4-2
 filter gauge, 4-2
 filters, 1-6
 filter vent valve, 4-2
 caustic detergent, 4-8
 centrifugal pump, 6-12
 checkpoints, 3-12, 3-13
 check valve, 6-2
 chemical
 agents, 7-3
 feed pump, 4-2
 overgarment, 7-2
 pump stop, 4-7
 weapons, 7-2
 chemicals, 1-1, 1-2, 1-3, 1-5
 destabilization, 1-2
 neutralization, 1-2
 chloramines, 1-18
 chlorine, 1-16, 1-17, 1-18, 8-6
 demand, 1-17
 dioxide, 1-16, 1-17
 hydrate, 8-7
 residual, 4-2, B-1
 citric acid, 4-4, 4-8, 4-9
 clarification, 7-1
 clay, 1-15
 clean/flush tank, 4-7
 clevis, 6-6
 coagulant aid, 4-10
 coagulation, 1-1, 1-2, 1-3, 1-5
 collapsible fabric bags, 3-12
 collapsible hose, 4-10
 collapsible tanks, 2-4, 5-4, D-7
 collar, 5-1
 color, 1-2, 1-4
 compressor, 4-7

FM 10-52-1

concealment, 2-3, 3-11, 5-5
conservation, 3-8, 8-2
contact time, 1-17, 1-18
contamination, 5-2, 7-11, 7-12, 7-15, 7-18
convoy, 5-6
corrosion, 3-10
corrosive solutions, 1-16
cover, 2-3, 3-11, 5-2, 5-5
cover handles, 5-2
cribbing, 8-6
curie, 7-7
cuts, 5-3
cyclone separator, 4-6

D

daily peak demands, 5-1
dams, 3-3
debriefing, 2-4
decontamination, 7-1, 7-3, 7-4, 7-7, 7-18, 7-19, 7-20
deserts, 7-5, 8-1
detainees, 2-4
detector kit, 7-17
detergent, 7-20
detergent clean, 4-8
discharge
 domestic sewage, 2-3
 industrial, 2-3
 manifold, 5-6
disease, 7-2
disinfection, 1-1, 1-18, 7-1
dispersant, 1-15
displacement, 4-19
displacement ball, 6-4, 6-5
distribution pumps, 4-1
distribution valve, 4-7
DOS, 3-12
downline boost pumping station, 6-1
downstream, 3-14
drainage, 2-3, 3-12
drawdown, 3-8, 3-9
DS2, 7-6
dust cap, 5-2
dust plug, 5-2

E

effluent, 1-3, 1-10
ejector assembly, 6-5
electromagnetic energy, 7-2
electrostatic force, 1-8
emergency repair, 5-3
EMP, 7-7
end cap, 6-5
EPWs, 2-4

escapees, 2-4
evaders, 2-4
exposure, 7-3
extended cleaning, 4-8
extent, 3-11

F

fallout, 7-7
fallout predictions, 2-2
FAWPSS, 6-11, 6-12, 6-15
feed pressure low light, 4-8
feedwater flowmeter, 4-11
feedwater pressure gauge, 4-11
feedwater temperature indicator, 4-13
filtration, 1-1, 1-5, 1-10, 1-11
fission, 7-7
flaking boxes, 6-4
flash mixing, 1-5
floats, 3-3
floc, 1-2, 1-3, 1-5, 1-6
 straining, 1-5
flocculation, 1-1, 1-2, 1-3, 1-5
flow, 1-10, 1-11, 4-6, 5-4
flushing, 4-6
fog, 8-6
foot bellows, 5-1
foot valve, 4-10
forklift, 6-5
formaldehyde, 4-12
formulas, A-1
fortifications, 8-6
forward flush valve, 4-6
fouling, 1-15, 3-10
freezing, 8-4
fuel consumption, 4-18
fuel line, 8-3
fumigants, 7-18
fungi, 7-2

G

galleries, 3-3
gamma rays, 7-10
gate valve, 5-2
grayout, 7-6
grounding, 8-6
ground profile, 6-3
guards, 6-3
guerrillas, 3-11

H

handle toggles, 5-2
harbors, 3-10
head loss, 1-6, 1-10, 1-11

heaters, 8-5
 high pressure pump, 4-10
 high pressure pump pressure high light, 4-7
 high pressure pump stop button, 4-7
 hose line pump
 manual, 6-1, 6-2
 electric automatic, 6-1, 6-2
 electric manual, 6-1, 6-2
 hose lines, 6-1
 host nation, 3-12
 hot spots, 7-9
 HUMINT, 2-4
 hydraulics, 1-10, 1-11
 hydrodynamic force, 1-8
 hydrogen bonding forces, 1-8
 hydrogen sulfate, 3-10
 hydrogen sulfide, 1-17
 hypochlorinator, 5-6, 5-9, D-6
 hypochlorite, 1-16
 hypochlorite tank, 4-7

I

ice, 8-4
 ice floes, 3-10
 icings, 8-5
 imagery, 2-1
 IMINT, 2-4
 impurities
 colloidal, 1-2
 dissolved, 1-2
 inorganic, 1-2
 organic, 1-2
 suspended, 1-2
 incapacitating agents, 7-16
 industrial discharge, 2-3
 inflation valves, 5-1
 inhibitor, 1-15
 initial start-up, 4-2
 initial supply, 4-19
 inlets, 3-10
 insect vectors, 7-2
 insulator, 8-5
 intake, 3-1
 intrusion, 3-8, 3-9
 iron, 1-15
 iron bacteria, 1-15
 issue log, 6-16
 issue schedules, 6-15, 6-16
 issue water, 5-5

J

jungle, 3-11, 7-5

K

kit
 displacement and evacuation, 6-5
 packing, 6-5

L

lagoons, 3-10
 lamp
 high-pressure, 4-2
 low, 4-2
 landfills, 1-3
 lead pumping station, 6-1
 leapfrogging, 5-5
 lifting sling, 6-5
 lithium, 1-16
 log, production, 4-14
 lubrication, 8-2

M

M17, 7-4
 magmatic heat, 3-7
 main circuit breaker, 4-7
 maintenance schedules, 6-15, 6-16
 manganese, 1-15, 1-17
 mechanical capture, 1-8
 media filter, 4-8
 membrane cleaning compound, 4-13
 microcuries, 7-10
 micron ratings, 1-8, 1-9
 microorganisms, 7-2, 7-12
 milliroentgens, 7-11
 MOPP, 7-3
 mountains, 7-5
 MPC, 7-7, 7-9, 7-14, 7-16
 MSR, 2-3
 multimedia filter gauge, 4-2
 multimedia filters, 1-6, 4-14
 intermix, 1-6
 log, 4-8
 vent valve, 4-2
 mycotoxins, 7-12

N

NBC-4, 7-3
 NBC
 agents, 7-1
 attacks, 7-1
 defense, 7-1
 hazards, 7-1
 intelligence, 7-2
 weapons, 7-1
 nerve agents, 7-1, 7-16
 neutron particles, 7-7

nitrogen trichloride, 1-18
nonvolatile agents, 7-18
nozzles, 5-7
nuclear strikes, 7-2
nuclear technology, 7-1
nuclei present, 1-5

O

odors, 1-17, 1-18, 3-10
onion tank, 5-1, D-1
operational checks, 4-2
optimum setting, 4-8
order, 3-11
organics
 fulvic, 1-15
 humic, 1-15
organisms, 1-17
 helminth, 1-17
 protozoa, 1-17
organizational strength, 4-18
osmotic pressure, 1-13
oxygen, 1-17
ozone, 1-16

P

packing, 5-1
patching adhesive, 5-3
perched water table, 8-1
permeability, 1-6, 1-9
pH, 1-2, 1-3, 1-4, 1-5, 1-18
pits, 3-1
planks, 8-6
plants, 8-1
playas, 8-1
pneumatic coupler, 6-5
polyelectrolytes, 1-5
 anionic, 1-5
 cationic, 1-5
 nonionic, 1-5
polyelectrolyte tank, 4-7
polyethylene bag, 4-12
porosity, 1-8, 1-9
posttreatment, 7-20
precipitates, 1-16
preheating, 7-6, 8-4
preliminary flush, 4-8
pressure gauge, 6-9
pressure-reducing valve, 6-3
pressure-relief valve, 6-4
pressure tubes, 4-12
pretreatment assembly, 4-10
product flowmeter, 4-8
product water flow gauge, 4-2

product water flow valve, 4-2
product water vent valve, 4-2
production site, 5-1
pullboards, 6-5
pulse dampener vent valve, 4-2
pumping level, 3-8
pumps, 3-1, 3-10, 5-6, 5-8
 backwash, 4-1
 distribution, 4-1
 raw water, 4-1
punctures, 5-3
purifiers, 2-3, 4-1, 4-4, 4-7
PWS/DS, 5-4, 5-6, 5-7, 5-8, 5-9, D-3

Q

quality
 water, 1-1, 1-2, 3-11
quantity, 3-11
quick-disconnect assemblies, 6-12

R

radiacmeter, 7-3, 7-9, 8-4
ratchet, 6-6, 6-9
raw water pressure gauge, 4-10
raw water pumps, 4-1, 4-6
raw water pump stop button, 4-7
recharge, 3-8, 3-9
reconnaissance, 2-1, 2-2
refugees, 2-4
regulate product flow valve, 4-2
repair pouch, 5-1
reset button, 4-2
residual, 1-16
resupply, 4-19, 8-2
reverse osmosis, 1-1, 1-11
reverse osmosis system pressure gauge, 4-8
RO block, 4-10
rocks, 3-1
RO element, 1-13, 4-4, 4-6, 4-8, 4-9, 4-10
 cleaning switch, 4-2
 cleaning systems flush, 4-8
RO pressure gauge, 4-2
ROWPU
 600-GPH, 4-1, C-1
 3,000-GPH, 4-1, C-7
 150,000-GPD, 4-10, C-13
rupture, 6-3

S

sanitation, 2-3
sanitizing flush, 4-7
scale inhibitor, 4-10
screen, 3-1

sealing clamps, 5-3, 6-10
 security, 2-3
 semipermeable membrane, 1-11, 1-12
 semitrailer, 6-5
 sequestrant, 4-7, 8-8
 shims, 5-6
 shutdown, 4-2
 sieving, 1-8
 SIGINT, 2-4
 silica, 1-15
 silicone spray, 4-12
 site conditions, 2-2
 slope, 2-4, 5-6
 SMFT, 5-4, 6-1
 sodium bisulfite, 4-7
 sodium hexametaphosphate, 1-15
 sodium hex pump, 4-2
 sodium silicate, 7-7
 specific capacity, 3-10
 spraydown, 7-4
 springs
 artesian, 3-7
 gravity, 3-7
 seep, 3-7
 thermal, 3-7
 staging areas, 5-5
 stakes, 3-1
 static level, 3-8
 STB, 7-5
 storage, 5-1
 suction, 3-1, 4-6
 suction hose, 4-10, 6-2
 sump, 5-6, 8-8
 superchlorinated water, 6-9
 supply side nuclear water monitoring, 7-11, 7-12
 surveillance, 1-1
 suspension cables, 6-4
 suspension towers, 6-4
 swivel joint, 6-3
 system pressure control valve, 4-6
 system reset button, 4-8

T

tailgates, 6-4
 tanks, 3-12, 5-6, 6-9
 taste, 3-10
 TB MED 577, 7-7, 7-11
 tee assemblies, 5-9
 TEMPER, 8-5, 8-7
 temperature, 1-5, 1-11, 1-17, 1-18
 terrain, 2-3, 4-18, 5-6
 thermal radiation, 7-1
 threat agents, 7-16

tie-down kit, 6-5
 toggle switches, 4-2
 toxic materials, 7-1
 toxins, 7-12
 traffic signs, 3-13
 transporters, 5-5
 troop
 health, 3-14
 morale, 3-14
 welfare, 3-14
 tunnels, 3-7
 turbidity, 1-2, 1-3, 1-4
 turbocharger, 4-12
 turnarounds, 3-12
 turnouts, 3-12
 TWDS, 5-4, 6-1, 6-2, 6-3

U

unit repair, 5-3
 unpacking, 5-1, 6-12
 urban area, 7-6

V

vessel vent valve, 4-2
 victaulic coupling, 6-3
 viscosity, 1-9, 8-6
 void volume, 1-8, 1-9

W

wadis, 2-2
 washdown, 7-18
 waste
 agricultural, 2-3
 livestock, 2-3
 wastewater, 8-7
 water
 column, 6-2
 disinfected, 1-16
 distribution schedules, 6-19
 point, 3-11
 potable, 1-16
 quality, 3-11
 quantity, 3-11
 source, 3-11
 table, 3-3
 weather, 4-18
 wells
 beach, 3-10
 bored, 3-7
 drilled, 3-7
 driven, 3-7
 dug, 3-7
 jetted, 3-7

FM 10-52-1

wetting agents, 7-20
whiteout, 7-6
winterizing, 7-6, 8-4
wipedown, 7-4
wood plugs, 5-3, 6-10

wound fiber cartridge, 1-6, 1-8, 1-9
WQAU, 1-1, 2-1

Y
yield, 3-10